

# CUSTOM PATTERN MAKER

## TABLE OF CONTENTS

<b>ABOUT CUSTOM PATTERN MAKER</b> .....	1
---	---

<b>CUSTOM PATTERN MAKER FAST START DIRECTIONS</b> .....	3
---	---

### CHAPTER I

<b>THINGS YOU NEED TO KNOW ABOUT WORKING WITH YOUR COMPUTER HARDWARE AND C.P.M. SOFTWARE</b> .....	4
<b>1. SYSTEM REQUIREMENTS.</b> .....	4
<b>1.1. CPU</b> .....	4
<b>1.2 . RAM</b> .....	4
<b>1.3. Video Card</b> .....	4
<b>1.4. Pointing Device</b> .....	4
<b>1.5. Plotter/Printer</b> .....	4
<b>2. INSTALLING CUSTOM PATTERN MAKER SOFTWARE</b> .....	5
<b>2.1.</b> Copy the directory C.P.M. to the main trunk of your hard drive. ....	5
<b>2.5.</b> The first time you start up C.P.M. you will need to set the <b>PREFERENCES.</b> .....	6
<b>2.5.2.1.</b> Under <b>DISPLAY:</b> .....	6
<b>2.5.2.2.</b> Under <b>GENERAL:</b> .....	6
<b>2.6.</b> Under the <b>OPTIONS</b> menu is the <b>UNITS</b> command. ....	7
<b>2.7.</b> The <b>GRID</b> .....	8
<b>2.7.2.</b> The <b>GRID</b> increment defaults to ½. ....	8
<b>2.7.3.</b> The <b>GRID</b> command line also includes the <b>S(nap)</b> function. ....	9
<b>2.7.4.</b> It is also possible to set the aspect ratio of the grid to be uneven. ..	9
<b>3. KEEPING DRAWINGS ON “DISKS</b> .....	9

### CHAPTER II

<b>THE BASIC PATTERN BLOCKS</b> .....	11
<b>1. 2TORSO AND MALE</b> .....	11
<b>2. 1SEXBOD AND SLEEVE</b> .....	11
<b>3. DSLEEVE (DANCE SLEEVE)</b> .....	12
<b>4. PANT</b> .....	12
<b>5. SKIRT</b> .....	13

## CHAPTER III

<b>PROGRAM STRUCTURE THEORY</b> .....	14
<b>1. DESIGNED FOR COSTUME MAKERS</b> .....	14
<b>2. TASKS IT WILL PERFORM</b> .....	14
<b>5. PROGRAM RUNS WITH CURSOR DEVICE</b> .....	15
<b>6. VERTEX BASED DRAWING PROGRAM</b> .....	15

## CHAPTER IV.

<b>BASIC OPERATION INFORMATION</b> .....	17
<b>1. CONTROL DEVICES</b> .....	17
<b>3. COMPUTER COMMANDS</b> .....	18
<b>4. ENTERing COMMAND</b> .....	18
<b>5. Popdown MENUS (VERY IMPORTANT - READ THIS)</b> .....	19
<b>6. THE ON-SCREEN COMMAND DIALOGUE AREA</b> .....	19
<b>7. REPEATING COMMANDS</b> .....	20
<b>8. SEQUENTIAL COMMAND STRINGS</b> .....	20
<b>9. CANCELING A COMMAND</b> .....	21
<b>10. UNDOing A MISTAKE</b> .....	21
<b>11. REDO (also under the EDIT menu) lets you go back one command step</b> .....	21
<b>12. ZOOM</b> .....	21
<b>12.1. ZOOM WINDOW</b> allows you to select the part of the drawing you want to <b>ZOOM</b> in on .....	21
<b>12.2. ZOOM PREVIOUS</b> will return to the screen image immediately previous. ....	22
<b>12.3. ZOOM ALL</b> causes the viewing screen to <b>ZOOM</b> to display every element in the drawing .....	22
<b>12.4. ZOOM EXTENTS</b> frames the full pattern image in the on-screen window. ....	22
<b>12.5. 2.5X, 3X, 6X, and 12X</b> each activate <b>ZOOMs</b> that magnify by the number's power. ....	23
<b>13. The WINDOW utility function</b> is used often as a selection tool .....	23
<b>14. PANning ACROSS A DRAWING</b> .....	24
<b>14.1. The REALTIME PAN command</b> .....	24
<b>14.2. The POINT PAN command</b> .....	24
<b>15. REGENerate</b> .....	24
<b>15.2. ECHO ON and ECHO OFF</b> .....	25
<b>16. REDRAW</b> .....	25
<b>17. BLOCKS</b> .....	25
<b>17.1. For example: PLINE an X. Then SELECT Create Block</b> .....	26
<b>17.2. To INSERT a BLOCK</b> that is already in the drawing's data base .....	26
<b>17.3. To INSERT another pattern drawing</b> .....	26
<b>18. SAVE - PROTECTING YOURSELF FROM "LOSING" DRAWINGS</b> .....	27
<b>18.4. The SAVE and the SAVE AS commands</b> .....	28

18.6. C.P.M. also automatically creates a <b>BACK UP</b> file each time you <b>SAVE</b>	29
<b>19. CONVENTIONS FOR NAMING FILES.</b>	30

## CHAPTER V

<b>CREATING A BASIC DRAWING PAGE TEMPLATE FOR YOUR PLOTTER FORMAT</b>	32
1. <b>Start C.P.M.</b>	32
2. <b>SELECT the Advanced Setup Wizard.</b>	32
4. <b>SELECT</b> the measurement unit you wish to use.	32
5. Next <b>CLICK</b> the <b>Step 2: Angle TAB</b>	32
6. <b>CLICK</b> on the <b>Step 3: Angle Measure TAB</b>	32
8. <b>CLICK</b> on the <b>Step 4: Angle Direction TAB</b>	32
9. <b>CLICK</b> on the <b>Step 5: Area TAB</b>	32
10. <b>Step 6: Title Block:</b> is optional.	33
11. <b>Step 7: Layout</b> is an option	33
13. <b>GRID SETUP AND SIZING</b>	33
14. <b>SAVE</b> the new drawing as a <b>TEMPLATE.</b>	34
15. To <b>OPEN</b> and use the Template you have made	34

## CHAPTER VI

<b>MAKING A BASIC PATTERN USING C.P.M.</b>	35
--	----

## A QUICK OUTLINE OF THE BASIC BLOCK DRAFTING PROCESS

.....	36
1. <b>STARTING UP THE C.P.M. PROGRAM :</b>	37
2. The main C.P.M. drawing frame	37
3. C.P.M. comes with basic drawing page templates	37
3.1. <b>Sew1.dwt</b>	37
3.2. <b>Sew1a.dwt</b>	37
4. When the Template opens up on the screen, you should see	37
5. <b>SELECT A PATTERN FROM THE PATTERN Popdown MENU.</b>	38
6. <b>ENTERING PATTERN MEASUREMENTS</b>	38
6.4. <b>WHAT HAPPENS WHEN YOU <u>ENTER</u> AN INCORRECT NUMBER</b>	39
.....	39
6. <b>PLACING THE PATTERN PIECE ON THE SCREEN</b>	39
7. <b>WHAT IF THE PATTERN LOOKS WEIRD?</b>	39
8. <b>USE THE <u>F1</u> KEY TO CHECK FOR ERRORS ON JUST COMPLETED COMMANDS</b>	40
9. <b><u>SAVE</u> THE DRAWING BEFORE YOU DO ANYTHING ELSE</b>	40
10. Now practice <b>EXITing</b> the drawing.	40

## CHAPTER VII

<b>COMMANDS USED TO LABEL AND MARK PATTERNS</b> .....	41
<b>1. DRAFTING LINES and LAYERS</b> .....	41
1.1. Popdown the <b>MODIFY</b> menu and <b>SELECT</b> the <b>Control Layers</b> .....	42
1.6. <b>CLEARING VERTEX MARK RESIDUE.</b> .....	42
1.7. <b>HOLES LEFT IN THE GRID</b> .....	43
<b>2. USE <u>OFFSET</u> TO MAKE SEAM ALLOWANCES.</b> .....	43
<b>3. USE <u>PLINE</u> TO DRAW LINES TO CREATE "CUTTING EDGES" FOR</b>	
<b><u>TRIMMING</u></b> .....	44
3.1. <b>SELECT <u>PLINE</u> (think "plot line")</b> .....	44
3.1.1. The command <b>PLINE</b> stands for "polyline". .....	44
3.1.2. You can also make a "closed" polyline object with <b>PLINE.</b> . . . .	45
3.1.3. Polylines can also be drawn by entering X, Y coordinates. . . . .	45
3.1.4. <b>PLINE includes a string of function variations.</b> .....	45
3.1.4.1. <b>Line-width</b> .....	45
3.1.4.2. The default for the string is <b>&lt;Endpoint of line&gt;</b> .....	45
3.1.4.3. The option <b>U(ndo)</b> .....	45
3.1.4.4. The <b>L(ength)</b> option .....	46
3.1.4.5. The <b>C(lose)</b> option .....	46
3.1.4.6. The <b>A(rc)</b> option .....	46
3.2. <b>USE THE <u>SNAPTO</u> SUB-FUNCTIONS TO FIND POINTS</b>	
<b>ACCURATELY</b> .....	47
<b>4. USE THE <u>TRIM</u> COMMAND to remove the unwanted sections of seam allowance.</b>	
.....	49
<b>4.4. <u>ERASE</u> THE LEFT-OVER UNWANTED SECTIONS OF SEAM</b>	
<b>LINES</b> .....	50
.....	50
<b>5. USE THE SYMBOLS ON THE SYMBOL MENUS FOR MARKING</b> .....	50
5.4. <b>MARKING THE PATTERN WITH <u>NOTCHES</u> OR <u>DIAMONDS</u></b> . . . .	51
5.4.3. <b>USE <u>EXPLODE</u> AND <u>EXTEND</u> TO ESTABLISH NOTCH</b>	
<b>PLACEMENT FOR SEAM LINES</b> .....	51
<b>6. MEASURING AND/OR GAUGING DISTANCES FOR PLACEMENT</b>	
<b>SYMBOLS</b> .....	52
6.2. <b>USING THE GRID</b> .....	52
6.3. <b>USING THE MEASURING TAPE</b> .....	53
6.4. <b>THE <u>DISTANCE</u> COMMAND</b> .....	54
6.5. <b>THE <u>MEASURE</u> COMMAND</b> .....	54
6.7. <b>THE <u>DIVIDE</u> COMMAND</b> .....	55
<b>7. USE <u>DTEXT</u> TO WRITE LABELS</b> .....	55
7.1. <b>SELECTING OR CHANGING A FONT</b> .....	56
7.2.3. <b>TEXT ALIGNMENT</b> .....	56
7.2.4. <b>TYPING TEXT</b> .....	57
7.3. <b>CORRECTING TEXT MISTAKES</b> .....	57
7.4. <b>USING <u>ROTATE</u> TO ALIGN TEXT</b> .....	57

8. <u>SAVEING</u> A DRAWING AND <u>ENDING</u> A WORK-SESSION .....	58
--	----

## CHAPTER VIII

SLASHING A PATTERN FOR FLAT PATTERN MANIPULATION .....	60
A QUICK OUTLINE OF CUT AND SPREAD .....	61

### DETAILED INSTRUCTIONS FOR SLASHING AND SPREADING A PATTERN

FOR FLAT PATTERN MANIPULATION .....	62
1. <u>DRAFTING</u> LINES .....	62
1.2. TURN DRAFTING AND DIMENSION LINES <u>OFF</u> OR <u>ON</u> .....	62
2. PUTTING MATCHING SYMBOLS <u>DOTS</u> ON THE PATTERN .....	63
3. <u>DELETE</u> THE <u>Drafting Lines</u> BEFORE <u>CUTTING</u> .....	64
4. <u>CUT</u> (ING) (SLASHING) A PATTERN PIECE .....	64
4.1. <u>PLINE</u> (DRAWING) A CUTTING (SLASH) LINE .....	64
4.2.1. USING THE <u>SNAPTO</u> FUNCTIONS TO <u>J(OIN)</u> POINTS WITH MECHANICAL ACCURACY .....	65
4.3. CONTINUING DRAWING A LINE AFTER YOU HAVE FOUND THE START POINT .....	66
5. USING THE <u>CUT</u> COMMAND .....	67
6. MARKING THE PATTERN WITH MATCHING SYMBOLS: <u>NOTCHES</u> , <u>DIAMONDS</u> OR <u>DOTS</u> .....	68
6.2. MAKING <u>COPY</u> (S) .....	69
7. <u>CUT</u> AWAY PATTERN PIECE IN WAIST DART AREA AND <u>ERASE</u> DART SEAM LINES .....	70
8. <u>ROTATE</u> (ING) PATTERN PIECES TO LINE UP SEAMS IN ORDER TO MAKE ACCURATE MATCHING MARKS .....	71
9. THE <u>SNAP</u> COMMAND .....	72
10. THE <u>ORTHO</u> COMMAND .....	73
11. <u>MOVE</u> (ING) A PATTERN PIECE .....	73
12. USING THE <u>XARC</u> COMMAND TO ROUND OF CORNERS OF THE BUST .....	75
13. <u>EXPLODE</u> (ING) A PATTERN PIECE SO UNNEEDED LINES CAN BE <u>ERASED</u> AND SEAM LINES CAN BE CONNECTED. ....	75
14. JOINING <u>EXPLODED</u> CURVED LINES BACK TOGETHER WITH <u>PEDIT</u> COMMAND .....	76
15. USE THE <u>PEDIT</u> COMMAND TO <u>JOIN</u> ALL THE PATTERN SEGMENTS TOGETHER .....	77
15.3. USING <u>FIT CURVE</u> OR <u>SPLINE</u> TO SMOOTH OUT "FRACTURED" <u>J(OINED)</u> LINES .....	77
16. TROUBLE SHOOTING A <u>PEDIT</u> (ED) POLYLINE THAT DOES NOT <u>CLOSE</u> PROPERLY .....	78
17. CHANGE(ING) LINE <u>COLOR</u> .....	80
17.6. <u>CHANGE</u> (ING) THE <u>LINE TYPE</u> .....	81

<b>18. MAKE FACINGS</b> .....	81
<b>19. USE <u>OFFSET</u> TO CREATE BASIC FACING LINES.</b> .....	83
<b>20. USE (EXT)end TO MAKE CURVED OFFSET FACING LINES MEET AND JOIN SEAM LINES</b> .....	83
<b>21. REMOVE LEFT OVER PATTERN LINES FROM THE FACING WITH TRIM AND ERASE</b> .....	84
<b>22. USE XARC TO BLEND FACING LINES WITH CURVES</b> .....	84

## CHAPTER IX

<b>CHANGING FINISHED PATTERN SIZES</b> .....	85
<b>1. The <u>STRETCH</u> command</b> .....	85
<b>2. <u>OFFSET</u> to grade a pattern by fixed increments</b> .....	86

## APPENDIX A :

<b>METRICS</b> .....	88
<b>I. Creating a Metric Drawing Page</b> .....	88
1. At the start-up of C.P.M., use the Wizard to create a new metric unit page.	88
2. Next set up the drawing layers. ....	89
3. Next create a rectangle that is the Border of your new drawing page. ....	89
4. GRID dots need to be set at the increment you want. ....	90
5. To make a Margin .....	90
<b>II. Converting to metric patterns from Imperial measurements (English inches and fractions).</b> .....	92
<b>III. Creating Tiles for a smaller printer/plotter.</b> .....	94